#3

FIG. 1A

```
  1  agggagaggc agtgaccatg aaggctgtgc tgcttgccct gttgatggca
 51  ggcttggccc tgcagccagg cactgccctg ctgtgctact cctgcaaagc
101  ccaggtgagc aacgaggact gcctgcaggt ggagaactgc acccagctgg
151  gggagcagtg ctggaccgcg cgcatccgcg cagttggcct cctgaccgtc
201  atcagcaaag gctgcagctt gaactgcgtg gatgactcac aggactacta
251  cgtgggcaag aagaacatca cgtgctgtga caccgacttg tgcaacgcca
301  gcggggccca tgccctgcag ccggctgccg ccatccttgc gctgctccct
351  gcactcggcc tgctgctctg gggacccggc cagctatagg ctctgggggg
401  ccccgctgca gcccacactg ggtgtggtgc cccaggcctt tgtgccactc
451  ctcacagaac ctggcccagt gggagcctgt cctggttcct gaggcacatc
501  ctaacgcaag tttgaccatg tatgtttgca ccccttttcc ccnaaccctg
551  accttcccat gggccttttc caggattccn accnggcaga tcagttttag
601  tganacanat ccgcntgcag atggcccctc caaccnttтn tgttgntgtt
651  tccatggccc agcattttcc acccttaacc ctgtgttcag gcacttnttc
701  ccccaggaag ccttccctgc ccaccccatt tatgaattga gccaggtttg
751  gtccgtggtg tcccccgcac ccagcagggg acaggcaatc aggagggccc
801  agtaaaggct gagatgaagt ggactgagta gaactggagg acaagagttg
851  acgtgagttc ctgggagttt ccagagatgg ggcctggagg cctggaggaa
901  ggggccaggc ctcacatttg tggggntccc gaatggcagc ctgagcacag
951  cgtaggccct taataaacac ctgttggata agccaaaaaa aaaaaaaa
```

FIG. 1B

MKAVLLALLMAGLALQPGTALLCYSCKAQVSNEDCLQV

ENCTQLGEQCWTARIRAVGLLTVISKGCSLNCVDDS

QDYYVGKKNITCCDTDLCNASGAHALQPAAAILALLPAL

GLLLWGPGQL

FIG. 2


ATGAAGACAGTTTTTTTTATCCTGCTGGCCACCTACTTAGCCCTGCATCCAGGTGCTGCT
TACTTCTGTCAAAAAAAATAGGACGACCGGTGGATGAATCGGGACGTAGGTCCACGACGA
M K T V F F I L L A T Y L A L H P G A A
CTGCAGTGCTATTCATGCACAGCACAGATGAACAACAGAGACTGTCTGAATGTACAGAAC
GACGTCACGATAAGTACGTGTCGTGTCTACTTGTTGTCTCTGACAGACTTACATGTCTTG
L Q C Y S C T A Q M N N R D C L N V Q N
TGCAGCCTGGACCAGCACAGTTGCTTTACATCGCGCATCCGGGCCATTGGACTCGTGACA
ACGTCGGACCTGGTCGTGTCAACGAAATGTAGCGCGTAGGCCCGGTAACCTGAGCACTGT
C S L D Q H S C F T S R I R A I G L V T
GTTATCAGTAAGGGCTGCAGCTCACAGTGTGAGGATGACTCGGAGAACTACTATTTGGGC
CAATAGTCATTCCCGACGTCGAGTGTCACACTCCTACTGAGCCTCTTGATGATAAACCCG
V I S K G C S S Q C E D D S E N Y Y L G
AAGAAGAACATCACGTGCTGCTACTCTGACCTGTGCAATGTCAACGGGGCCCACACCCTG
TTCTTCTTGTAGTGCACGACGATGAGACTGGACACGTTACAGTTGCCCCGGGTGTGGGAC
K K N I T C C Y S D L C N V N G A H T L
AAGCCACCCACCACCCTGGGGCTGCTGACCGTGCTCTGCAGCCTGTTGCTGTGGGGCTCC
TTCGGTGGGTGGTGGGACCCCGACGACTGGCACGAGACGTCGGACAACGACACCCCGAGG
K P P T T L G L L T V L C S L L L W G S
AGCCGTCTGTAGGCTCTGGGAGAGCCTACCATAGCCCGATTGTGAAGGGATGAGCTGCAC
TCGGCAGACATCCGAGACCCTCTCGGATGGTATCGGGCTAACACTTCCCTACTCGACGTG
S R L *
TCCACCCCACCCCCACACAGG
AGGTGGGGTGGGGGTGTGTCC

FIG. 3


1 MKIFLPVLLAALLGVERASS hSCA-2
1 MKAVLLALLMAGLALQPGTA hPSCA
1 MKTVLFLLLATYLALHPGAA mPSCA
21 LMCFSCLNQKSN*LYCLKPTI
21 LLCYSCKAQVSN*EDCLQVEN*
21 LQCYSCTAQMNN*RDCLNVQN*
41 CSDQDNYCVTVSASAGIGNL
41 CTQLGEQCWTARIRAVGLLT
41 CSLDQHSCFTSRIRAIGLVT
61 VTFGHSLSKTCSPACPIPEG
61 V-----ISKGCSLNCVDDSQ
61 V-----ISKGCSSQCEDDSE
81 VNVGVASMGISCCQSFLCN*F
76 DYYVGKK-N*ITCCDTDLCN*A
76 NYYLGKK-N*ITCCYSDLCN*V
101 SAADGGLRASVTLLGAGLLL
95 SGAHALQPAAAILLALLPALG
95 NGAHTLKPPTTLGLLTVLCS
121 SLLPALLRFGP
115 LLLWGPGQL--
115 LLLWGSSRL--

FIG. 4


50
100
5.0
KD HYDROPHOBICITY
-5.0
10.0
SURFACE PROB
0.0
1.2
FLEXIBILITY
0.8
1.7
JAMESON-WOLF
(ANTIGENIC INDEX)
-1.1
CF TURNS
CF ALPHA HELICES
CF BETA SHEETS
GOR TURNS
GOR ALPHA HELICES
GOR BETA SHEETS
GLYCOSYL SITES
50
100


SIGNAL
SEQUENCE
GPI
SIGNAL
= glycosylation
SITE

FIG. 5


PROSTATE
PROSTATE
PROSTATE
BLADDER
BLADDER
BLADDER CARCINOMA
KIDNEY
KIDNEY
TESTIS
S. INTESTINE
LAPC9

FIG. 6


+CONTROL
TONSILS
THYMUS
SPLEEN
LEUKOCYTES
LYMPH NODE
FETAL LIVER
BONE MARROW
THYMUS
TESTIS
SPLEEN
SM. INTESTINE
PROSTATE
LEUKOCYTES
OVARY
COLON
SKELETAL MUSCLE
PLACENTA
PANCREAS
LUNG
LIVER
KIDNEY
HEART
BRAIN
PSCA

FIG. 7A


DU145
KCL22
COLO 205
A431
HELA
PC3
LAPC4 C.L.
LAPC9 AD
LAPC4 AI
LAPC4 AD
LAPC4 IT
PROSTATE
BRAIN
PSCA
β-ACTIN

FIG. 7B

FIG. 8A



FIG. 8B



FIG. 8C



FIG. 9A

~1kb
PANCREAS
KIDNEY
SKELETAL MUSCLE
LIVER
LUNG
PLACENTA
BRAIN
HEART
PERIPHERAL LEUKOCYTES
COLON
SMALL INTESTINE
OVARY
TESTIS
PROSTATE
THYMUS
SPLEEN
PSCA

FIG. 9B



FIG. 10A



FIG. 10B


4 HRS
72 HRS
PSA
BPH
LAPC4 AD
LAPC4 AI
LAPC4 IT
LAPC9
LAPC3 AI
LAPC4 C.L.
LNCAP
PC3
DU145
HELA
A431
COLO 205
KCL22
BPH
LAPC4 AD
LAPC4 AI
LAPC4 IT
LAPC9
LAPC3 AI
LAPC4 C.L.
LNCAP
PC3
DU145
HELA
A431
COLO 205
KCL22
ETBR

FIG. 10C

FIG. 11A



FIG. 11B

FIG. 11C

FIG. 12A





FIG. 12B



FIG. 12C

FIG. 13



FIG. 14A


LAPC9
CONTROL
mAB 3E6
mouse polyclonal
mAb 1G8
COUNTS
FL1-H
40
30
20
10
0
10^0
10^1
10^2
10^3
10^4

FIG. 14B


LAPC4
COUNTS
70
60
50
40
30
20
10
0
mAB 3E6
mAb 1G8
CONTROL
mouse polyclonal
10^0
10^1
10^2
10^3
10^4
FL1-H

FIG. 14C


PREC
CONTROL
mAb 1G8
mouse polyclonal
mAB 3E6
COUNTS
FL1-H
0
10
20
30
40
50
60
10^0
10^1
10^2
10^3
10^4

EPITOPE MAP

mAb	ISOTYPE		FL (18–98)	N (2–50)	M (46–109)	C (85–123)
1G8	IgG1	k	2.039	0.007	0.628	0.000
2H9	IgG1	k	1.318	0.863	0.032	0.021
3C5	IgG2a	k	2.893	1.965	0.016	0.005
3E6	IgG3	k	0.328	0.024	0.069	0.370
4A10	IgG2a	k	2.039	1.315	0.000	0.014
2A2	IgG2a	k	1.366	0.733	0.010	0.003
3G3	IgG2a	k	2.805	1.731	0.004	0.000

FIG. 15A



FIG. 15B

FIG. 16A


PROSTATE STEM CELL ANTIGEN (PSCA) IS A GPI-ANCHORED PROTEIN
hSCA-2
hPSCA
mPSCA


N
mature PSCA
C
plasma membrane
GPI
GPI addition
cytoplasm
CO_2H signal peptide cleavase
N-glycosylation
NH2 signal peptide cleavase
N
C
NH_2 signal peptide
COOH signal peptide
immature PSCA

FIG. 16B

FIG. 17


GAIN CHROMOSOME 8
AMPLIFICATION
#34 c-myc
#75 c-myc
#34 PSCA
#75 PSCA

FIG. 18



FIG. 19

FIG. 20



FIG. 21


patient 1:mAb 1G8
patient 2:mAb 1G8
patient 3:mAb 1G8
patient 4:mAb 3E6

FIG. 22





FIG. 23

FIG. 24

PROSTATE
PROSTATE
PROSTATE
BLADDER
BLADDER
BLADDER
KIDNEY
KIDNEY
BLADDER CARCINOMA
TESTIS
SMALL INTESTINE
SMALL INTESTINE
COLON
LNCAP
LAPC9

FIG. 25

FIG. 26

FIG. 27



FIG. 28



FIG. 29

FIG. 30





FIG. 31

FIG. 32



FIG. 33


SECONDARY ANTIBODY
1G8
2H9
4A10
3C5
3E6


1G8
2H9
3C5
3E6
4A10
48 kd
21.5 kd
12.5 kd

FIG. 34

FIG. 35



FIG. 36


ISOTYPE CONTROL
1G8
2H9
3C5
3E6
4A10
21.5 kd
12.5 kd

FIG. 37


NORMAL: ISOTYPE CONTROL
NORMAL: PSCA mAb 3E6
NORMAL: PSCA mAb 1G8
ATROPHY: PSCA mAb 2H9

FIG. 38

FIG. 39A





FIG. 39B

FIG. 40A





FIG. 40B



FIG. 41

TRANSGENE	TARGET TISSUES	CHARACTERISTICS
C3(1) (−3 kb)/ SV40 LARGE+SMALL, T MAROULAKOU et al. 1994 PNAS	PROSTATE (SECRETORY CELLS) URETHRAL, MAMMARY AND SWEAT GLAND	LOW-GRADE PIN 8-12 WKS HIGH-GRADE PIN 8-12 WKS INVASIVE CARCICINOMA 28 WKS NO METASTASES
PROBASIN (−426 bp)/ SV40 LARGE+SMALL, T GREENBERG et al. 1995 PNAS	PROSTATE (SECRETORY CELLS)	LOW-GRADE PIN 5-8 WKS HIGH-GRADE PIN 8-12 WKS INVASIVE CARCICINOMA 12 WKS METASTASES IN LYMPH NODE, LUNG, LIVER AND BONE
CRYPTDIN2 (−6.5 kb)/ SV40 LARGE+SMALL, T GARABEDIAN et al. 1998 PNAS	PROSTATE (NEUROENDOCRINE CELLS) SMALL INTESTINE	LOW-GRADE PIN 8-12 WKS HIGH-GRADE PIN 8-12 WKS INVASIVE CARCICINOMA 16 WKS METASTASES IN LYMPH NODE, LUNG, LIVER, AND BONE



FIG. 42



FIG. 43



FIG. 44

FIG. 45



NUMBER OF FOUNDERS (DNA POSITIVE)
2
1
6
8
3
9

NEGATIVE TISSUES
STOMACH
SMALL INTESTINE
COLON
SEMINAL VESICLE
URETHRA
TESTIS
LIVER
KIDNEY
LUNG
BRAIN
HEART
SKELETAL MUSCLE
OVARY
UTERUS

TRANSGENIC NON-TRANSGENIC

PROSTATE (A25-106-2)

BLADDER (A25-104)

SKIN (A25-106-2)



FIG. 46

PANC.
KIDNEY
MUSCLE
LIVER
LUNG
PLACENTA
BRAIN
HEART
PBL
COLON
S. INT.
OVARY
TESTIS
PROSTATE
THYMUS
SPLEEN
hPSCA
SKIN
LIVER
LUNG
EYE
BRAIN
HEART
SKELETAL MUSCLE
BONE MARROW
THYMUS
SPLEEN
SALIVARY GLAND
COLON
SMALL INTESTINE
DUODENUM
PYLORIC STOMACH
BODY OF STOMACH
CARDIAC STOMACH
ESOPHAGUS
KIDNEY
TESTIS
URETHRA
SEMINAL VESICLE
BLADDER
VENTRAL PROSTATE
DORSO/LAT. PROSTATE
ANT. PROSTATE
mPSCA
mG3PDH

FIG. 47

FIG. 48


1000
750
500
250
0
Tumor volume (mm3)
32
35
39
42
47
54
61
Days
1
2
3
4
5
6
7
8
9
10


1000
750
500
250
0
Tumor volume (mm3)
32
35
39
42
47
54
61
Days
11
12
13
14
15
16
17
18
19
20

FIG. 49

A

mAb	Isotype	Epitope recognized (OD 450 nm) F (18-98)	N (2-50)	M (46-109)	C (85-123)
1G8	IgG1 k	**1.485**	0 004	**1.273**	0.003
2A2	IgG2a k	**0.973**	**0.631**	0 023	0 010
2H9	IgG1 k	**1.069**	**1.026**	0.002	0 001
3C5	IgG2a k	**1.916**	**1.709**	0.006	0 002
3E6	IgG3 k	**1.609**	0.036	**1.133**	**2.118**
3G3	IgG2a k	**2.805**	**1.731**	0.004	0.000
4A10	IgG2a k	**1.053**	**0.493**	0.000	0.001

B



FIG. 50


A
Standardization Ag
2A2
3C5
4A10
GST
PSCA (18-98)
1G8
anti-peptide
polyclonal
Engineered mammalian secreted form
Ig leader
PSCA (18-98)
MYC
HIS6
B
Anti-IgG2a HRP
Anti-PSCA mAbs 3C5+4A10+2A2 (IgG2a)
PSCA
Affinity purified anti-peptide polyclonal
+ mAb 1G8 (IgG1)

FIG. 51

A



B

Sample	OD+range (n=2)	ng/ml
vector	0.005+0.001	ND
vector+hu serum	0.004+0.001	ND
secPSCA	2.695+0.031	32.92
secPSCA+hu serum	2.187+0.029	26.55

FIG. 52


LNCaP/LNCaP-PSCA/293T Cell Pellet
Negative Control
LAPC9 AD Xenograft
Negative Control
BPH
Negative Control
Prostate Carcinoma
Negative Control

FIG. 53


Tumor volume (mm3)
1800
1350
900
450
0
22
26
29
33
36
41
46
Days
1
2
3
4
5
6
7
8
9
10
Tumor volume (mm3)
1800
1350
900
450
0
22
26
29
33
36
41
46
Days
11
12
13
14
15
16
17
18
19
20
Tumor volume (mm3)
1800
1350
900
450
0
22
26
29
33
36
41
Days
21
22
23
24
25

FIG. 54


1400
1050
700
350
0
Tumor volume (mm3)
19
22
26
29
34
39
42
Days
1
2
3
4
5
6


1400
1050
700
350
0
Tumor volume (mm3)
19
22
26
29
34
39
42
Days
7
8
9
10
11
12
13

FIG. 55


800
600
400
200
0
Tumor volume (mm3)
21
25
28
32
35
39
42
Days
Mouse IgG
2A2


800
600
400
200
0
Tumor volume (mm3)
21
25
28
32
35
39
42
Days
Mouse IgG
2H9

FIG. 56


50
40
30
20
10
0
PSA Level (ng/ml)
3
4
5
6
Weeks
Mouse IgG
2A2


50
40
30
20
10
0
PSA Level (ng/ml)
3
4
5
6
Weeks
Mouse IgG
2H9

FIG. 57


2400
1800
1200
600
0
Tumor volume (mm3)
11
14
18
21
25
28
Days
MIgG
3C5

FIG. 58

```
TGCTTCTTCCTGATGGCAGTGGTTATAGGAGTCAATTCAGAGGTTCAGCTGCAGCAGTCT  60
 C  F  F  L  M  A  V  V  I  G  V  N  S  E  V  Q  L  Q  Q  S   20

GGGGCAGAACTTGTGAGGTCAGGGGCCTCAGTCAAGTTGTCCTGCACAGCTTCTGGCTTC 120
 G  A  E  L  V  R  S  G  A  S  V  K  L  S  C  T  A  S  G  F   40

        CDR1
AACATTAAAGACTACTATATACACTGGGTGAATCAGAGGCCTGACCAGGGCCTGGAGTGG 180
 N  I  K  D  Y  Y  I  H  W  V  N  Q  R  P  D  Q  G  L  E  W   60

                           CDR2
ATTGGATGGATTGATCCTGAGAATGGTGACACTGAATTTGTCCCGAAGTTCCAGGGCAAG 240
 I  G  W  I  D  P  E  N  G  D  T  E  F  V  P  K  F  Q  G  K   80

GCCACTATGACTGCAGACATTTTCTCCAACACAGCCTACCTGCACCTCAGCAGCCTGACA 300
 A  T  M  T  A  D  I  F  S  N  T  A  Y  L  H  L  S  S  L  T  100

                                  CDR3
TCTGAAGACACTGCCGTCTATTACTGTAAAACGGGGGGTTTCTGGGGCCAAGGGACTCTG 360
 S  E  D  T  A  V  Y  Y  C  K  T  G  G  F  W  G  Q  G  T  L  120

GTCACTGTCTCTGCAGCCAAAACGACACCCCCATCTGTCTATCCACTG
 V  T  V  S  A  A  K  T  T  P  P  S  V  Y  P  L
```

FIG. 59

```
TTGGTAGCAACAGCCTCAGATGTCCACTCCCAGGTCCAACTGCAGCAACCTGGGTCTGAA  60
 L  V  A  T  A  S  D  V  H  S  Q  V  Q  L  Q  Q  P  G  S  E   20

CTGGTGAGGCCTGGAACTTCAGTGAAGCTGTCCTGCAAGGCTTCTGGCTATACATTCTCC 120
 L  V  R  P  G  T  S  V  K  L  S  C  K  A  S  G  Y  T  F  S   40
                                                  CDR1

AGCTACTGGATGCACTGGGTGAAGCAGAGGCCTGGACAAGGCCTTGAGTGGATTGGAAAT 180
 S  Y  W  M  H  W  V  K  Q  R  P  G  Q  G  L  E  W  I  G  N   60

ATTGACCCTGGTAGTGGTTACACTAACTACGCTGAGAACCTCAAGACCAAGGCCACACTG 240
 I  D  P  G  S  G  Y  T  N  Y  A  E  N  L  K  T  K  A  T  L   80
          CDR2

ACTGTAGACACATCCTCCAGCACAGCCTACATGCAGCTCAGCAGCCTGACATCTGAGGAC 300
 T  V  D  T  S  S  S  T  A  Y  M  Q  L  S  S  L  T  S  E  D  100

TCTGCAGTCTATTACTGTACAAGCCGATCTACTATGATTACGACGGGATTTGCTTACTGG 360
 S  A  V  Y  Y  C  T  S  R  S  T  M  I  T  T  G  F  A  Y  W  120
                          CDR3

GGCCAAGGGACTCTGGTCACTGTCTCTGCAGCTACAACAACAGCCCCATCTGTCTATCCA 420
 G  Q  G  T  L  V  T  V  S  A  A  T  T  T  A  P  S  V  Y  P  160

CTGGCC
 L  A
```

FIG. 60

```
AATGACTTCGGGTTGAGCTGGGTTTTTATTATTGTTCTTTTAAAAGGGGTCCGGAGTGAA  60
 N  D  F  G  L  S  W  V  F  I  I  V  L  L  K  G  V  R  S  E   20

GTGAGGCTTGAGGAGTCTGGAGGAGGCTGGGTGCAACCTGGAGGATCCATGAAACTCTCC 120
 V  R  L  E  E  S  G  G  G  W  V  Q  P  G  G  S  M  K  L  S   40

TGTGTAGCCTCTGGATTTACTTTCAGTAATTACTGGATGACTTGGGTCCGCCAGTCTCCA 180
 C  V  A  S  G  F  T  F  S  N  Y  W  M  T  W  V  R  Q  S  P   60
                  CDR1

GAGAAGGGGCTTGAGTGGGTTGCTGAAATTCGATTGAGATCTGAAAATTATGCAACACAT 240
 E  K  G  L  E  W  V  A  E  I  R  L  R  S  E  N  Y  A  T  H   80
                                 CDR2

TATGCGGAGTCTGTGAAAGGGAAATTCACCATCTCAAGAGATGATTCCAGAAGTCGTCTC 300
 Y  A  E  S  V  K  G  K  F  T  I  S  R  D  D  S  R  S  R  L  100

TACCTGCAAATGAACAACTTAAGACCTGAAGACAGTGGAATTTATTACTGTACAGATGGT 360
 Y  L  Q  M  N  N  L  R  P  E  D  S  G  I  Y  Y  C  T  D  G  120

CTGGGACGACCTAACTGGGGCCAAGGGACTCTGGTCACTGTCTCTGCAGCCAAAACGACA 420
 L  G  R  P  N  W  G  Q  G  T  L  V  T  V  S  A  A  K  T  T  140
    CDR3

CCCCCATCTGTCTATCCACTGGCCCCTTGTGTA
 P  P  S  V  Y  P  L  A  P  C  V
```

FIG. 61

CDR1 Comparisons

1G8	$1gG_{1k}$	Middle	G	F	N	I	K	D	Y	Y	I	H	
2H9	$1gG_{1k}$	N-Term.	G	F	T	F	S	N	Y	W	M	T	
4A10	$1gG_{2ak}$	N-Term.	G	Y	T	F	S	S	Y	W	M	H	

CDR2 Comparisons

1G8	$1gG_{1k}$	W	I	D	P	E	N	G	D	T	E	F	V	P	K	F	Q	G
2H9	$1gG_{1k}$	E	I	R	L	R	S	E	N	Y	A	T	H	Y	A	E	S	V	K	G
4A10	$1gG_{2ak}$	N	I	D	P	G	S	G	Y	T	N			Y	A	E	N	L	K	T

CDR3 Comparisons

1G8	$1gG_{1k}$	G	G	F								
2H9	$1gG_{1k}$	L	G	R	P	N						
4A10	$1gG_{2ak}$	R	S	T	M	I	T	T	G	F	A	Y

FIG. 62



FIG. 63



FIG. 64



FIG. 65


1200
900
600
300
0
Tumor volume (mm 3)
19
22
26
29
34
39
42
Days
Mouse IgG
1G8


300
200
100
0
Tumor volume (mm 3)
25
29
33
39
Days
Mouse IgG
1G8

FIG. 66

A)



	9	15	22	30	37	44	51
PBS	2.3	20	119	386	583		
1G8	2.8	8.3	16.2	71	198	234	351

Mean PSA Levels (ng/ml)

Days

B)



	13	21	27	34
PBS	78	412	422	418
1G8	64	268	294	315

Mean PSA Levels (ng/ml)

Days

FIG. 67

A)


100
80
60
40
20
0
% Survival
0
15
30
45
60
75
90
105
Days
PBS
1G8

B)


100
80
60
40
20
0
% Survival
0
20
40
60
80
100
120
Days
PBS
1G8

FIG. 68

A)



	9	16	22	29	36
PBS	23	126	322	519	555
3C5	3	21	95	290	428

Mean PSA Levels (ng/ml)

B)



	7	14	21	28
PBS	14	107	329	449
3C5	16	63	229	351

Mean PSA Levels (ng/ml)

FIG. 69

A)


100
80
60
40
20
0
% Survival
0
25
50
75
100
125
Days
PBS
3C5

B)


100
80
60
40
20
0
% Survival
0
10
20
30
40
50
60
70
80
90
Days
PBS
3C5

FIG. 70



	9	15	23	29	36	43
PBS	149	343	385	458	533	601
Dox	148	250	337	371	473	577
1G8	135	208	235	276	408	479
1G8 + Dox	129	205	242	260	359	387

Days

FIG. 71





FIG. 72



FIG. 73